

Solaris 2.6 SPARC

We have recently moved the Solaris 2.5, 2.6 and 7 packages to a new simpler display format. Please note that not all the packages in the right hand side list are available.

- a2ps-4.14 | a2ps is an Any to PostScript filter -
[a2ps-4.14-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [libiconv](#) [libintl](#) [psutils](#) [libgcc](#) [gcc](#)
Source Code: [a2ps-4.14.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **August 16, 2009**
-

- aalib-1.4.0 | aalib is a low level gfx library -
[aalib-1.4.0-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [slang](#) [libgcc](#) [gcc](#)
Source Code: [aalib-1.4rc4.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **May 17, 2008**
-

- ack-1.92 | Ack is a perl program written as a replacement for grep -
[ack-1.92-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [perl](#)

Source Code: | [File info](#) | [Developer](#) | Date Created:
July 19, 2010

- adns-1.4 | Adns is an asynchronous-capable DNS client library along with utilities -
[adns-1.4-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [libgcc](#) [gcc](#)
Source Code: [adns-1.4.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **December 3, 2008**
-

- afio-2.5 | Afio makes cpio-format archives -
[afio-2.5-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies:
Source Code: [afio-2.5.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**
-

- aide-0.13.1 | AIDE (Advanced Intrusion Detection Environment) is a free replacement for Tripwire -
[aide-0.13.1-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [zlib](#) [mhash](#) [libgcc](#) [gcc](#)
Source Code: [aide-0.13.1.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**

▪ amanda-2.4.1p1 | Amanda, the network disk archiver -
[amanda-2.4.1p1-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: **/usr/local**
Dependencies:
Source Code: [amanda-2.4.1p1.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **May 17, 2008**

▪ analog-6.0 | Analog is a log file analyzer -
[analog-6.0-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local/analog-6.0.**
Dependencies:
Source Code: [analog-6.0.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**

▪ antiword-0.37 | Antiword is an MS Word reader -
[antiword-0.37-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies:
Source Code: [antiword-0.37.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **May 17, 2008**

▪ apache-1.3.27 | Apache – the popular web server – This
package includes mod_ssl support and requires that you
also install openssl-0.9.6i to use it. I have put a

detailed [document](#) on how I created this package and how you might install it. Please read it. **It is suggested you back up your current apache files before installing any new apache package.**

[apache-1.3.27-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: **/usr/local/apache**

Dependencies:

Source Code: [apache-1.3.27.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **May 17, 2008**

- [apache-1.3.42](#) | Apache – the popular web server - [apache-1.3.42-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: **/usr/local/apache**

Dependencies: [expat](#) [db](#) [libgcc](#) [gcc](#)

Source Code: [apache-1.3.42.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **May 15, 2010**

- [apache-2.0.59](#) | Apache 2 – the popular web server – This apache package was configured with openssl support.

[apache-2.0.59-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: **/usr/local/apache2**

Dependencies: [expat](#) [libiconv](#) [gdbm](#) [zlib](#) [db](#) [openssl](#) [libgcc](#) [gcc](#)

Source Code: [httpd-2.0.59.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **May 17, 2008**

- [apache-2.2.6](#) | Apache 2 – the popular web server – This apache package was configured with openssl support.

[apache-2.2.6-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local/apache2**
Dependencies: [expat](#) [libiconv](#) [zlib](#) [openssl](#) [libgcc](#) [gcc](#)
Source Code: [httpd-2.2.6.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **May 17, 2008**

- [apachetop-0.12.5](#) | ApacheTop watches a logfile generated by Apache (in standard common or combined logformat) and generates human-parsable output in realtime -
[apachetop-0.12.5-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: **/usr/local**
Dependencies: [readline](#) [ncurses](#) [pcre](#) [libgcc](#) [gcc](#)
Source Code: [apachetop-0.12.5.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **May 17, 2008**
-

- [apg-2.2.3](#) | Automated Password Generator -
[apg-2.2.3-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies:
Source Code: [apg-2.2.3.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**
-

- [apr-1.2.2](#) | Apr is the Apache Portable Runtime libraries system -
[apr-1.2.2-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local/apr.**
Dependencies:
Source Code: [apr-1.2.2.tar.gz](#) | [File info](#) | [Developer](#) |

Date Created: **May 17, 2008**

- `aprutil-1.2.2` | Apr-util is part of the Apache Portable Runtime libraries system -
[aprutil-1.2.2-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local/apr`.
Dependencies:
Source Code: [aprutil-1.2.2.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **May 17, 2008**
-

- `arc-5.21e` | The arc file archive utility -
[arc-5.21e-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies:
Source Code: [arc-5.21e.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**
-

- `argtable2-12` | Argtable is an ANSI C library for parsing GNU style command line options -
[argtable2-12-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [gcc](#) [libgcc](#)
Source Code: [argtable2-12.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **February 21, 2010**
-

- arping-2.09 | Arping is a util to find out if a specific IP address on the LAN is 'taken' and what MAC address owns it -

[arping-2.09-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: **/usr/local**

Dependencies: [libpcap](#)

Source Code: [arping-2.09.tar.gz](#) | [File info](#) | [Developer](#)

| Date Created: **April 4, 2010**

- ascii-3.8 | Ascii is a utility that recognizes many different ways of naming an ASCII character (hex, octal, binary, decimal, C escape, ISO character table pair, slang names, and others) and prints out all the equivalents -

[ascii-3.8-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: **/usr/local**

Dependencies:

Source Code: [ascii-3.8.tar.gz](#) | [File info](#) | [Developer](#) |

Date Created: **August 1, 2010**

- asciidoc-8.5.3 | AsciiDoc is a text document format for writing short documents, articles, books and UNIX man pages. AsciiDoc files can be translated to HTML and DocBook markups using the asciidoc command -

[asciidoc-8.5.3-sol26-sparc-local.gz](#) | [File info](#) |

Install Location: **/usr/local**

Dependencies: [python](#)

Source Code: [asciidoc-8.5.3.tar.gz](#) | [File info](#) |

[Developer](#) | Date Created: **July 5, 2010**

▪ `asclock-2.0.12` | The afterstep clock -
[asclock-2.0.12-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: `/usr/local`
Dependencies:
Source Code: [asclock-2.0.12.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **July 25, 2008**

▪ `aspell-0.60.6` | Aspell is a spell checker and set of
libraries that can be used in spell checking -
[aspell-0.60.6-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [ncurses](#) [libiconv](#) [libintl](#) [libgcc](#) [gcc](#)
Source Code: [aspell-0.60.6.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **June 27, 2008**

▪ `atk-1.18.0` | The GNOME accessibility toolkit -
[atk-1.18.0-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [glib](#) [libintl](#) [libiconv](#) [libgcc](#) [gcc](#)
Source Code: [atk-1.18.0.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**

▪ `audiofile-0.2.6` | The audiofile library provides a
uniform programming interface to standard digital audio

file formats -

[audiofile-0.2.6-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: **/usr/local**
Dependencies:
Source Code: [audiofile-0.2.6.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **May 17, 2008**

- autoconf-2.68 | GNU autoconf is a package for generating configure scripts -
[autoconf-2.68-sol26-sparc-local.gz](#) | [File info](#) | Install Location: **/usr/local**
Dependencies:
Source Code: [autoconf-2.68.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **September 22, 2010**
-

- autogen-5.9.8 | AutoGen is a tool to simplify the creation and maintenance of programs that contain large amounts of repetitious text -
[autogen-5.9.8-sol26-sparc-local.gz](#) | [File info](#) | Install Location: **/usr/local**
Dependencies: [guile](#) [libiconv](#) [libintl](#) [libxml2](#) [zlib](#) [libgcc](#) [gcc](#)
Source Code: [autogen-5.9.8.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **May 17, 2009**
-

- automake-1.11.1 | Automake is a tool for automatically generating Makefiles compliant with the GNU Coding Standards -

[automake-1.11.1-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: **/usr/local**
Dependencies: [perl](#)
Source Code: [automake-1.11.1.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **December 11, 2009**

- [autossh-1.4a](#) | Autossh is a program designed to automatically restart SSH sessions and tunnels -
[autossh-1.4a-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies:
Source Code: [autossh-1.4a.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **May 17, 2008**
-

- [axel-2.4](#) | Axel tries to accelerate downloads by using multiple connections or servers -
[axel-2.4-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [libiconv](#) [libintl](#) [libgcc](#) [gcc](#)
Source Code: [axel-2.4.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **June 20, 2010**
-

- [balance-3.11](#) | Balance is a simple but powerful generic TCP proxy with round-robin load balancing and failover mechanisms -
[balance-3.11-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies:

Source Code: [balance-3.11.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **May 17, 2008**

- bar-1.11.0 | Bar is a command line progress bar to show the amount of data being passed in a data stream -
[bar-1.11.0-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies:
Source Code: [bar-1.11.0.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **August 27, 2010**
-

- bash-3.2.17 | Bash is an sh-compatible shell that incorporates useful features from the Korn shell (ksh) and C shell (csh) -
[bash-3.2.17-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [libintl](#) [libgcc](#) [gcc](#)
Source Code: [bash-3.2.17.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **May 17, 2008**
-

- bash-4.1 | Bash is an sh-compatible shell that incorporates useful features from the Korn shell (ksh) and C shell (csh) -
[bash-4.1-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [libintl](#) [libgcc](#) [gcc](#)
Source Code: [bash-4.1.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **January 4, 2010**

-
- bashdb-4.0_0.4 | A bash shell debugger with syntax similar to gdb -
[bashdb-4.0_0.4-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: **/usr/local**
Dependencies:
Source Code: [bashdb-4.0_0.4.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **May 20, 2010**
-

- bash_nonetredirections-4.0 | Bash is an sh-compatible shell that incorporates useful features from the Korn shell (ksh) and C shell (csh) – This bash package was built with `-disable-net-redirections` to satisfy security issues raised by some system administrators.
[bash_nonetredirections-4.0-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: **/usr/local**
Dependencies: [libintl](#) [libgcc](#) [gcc](#)
Source Code: [bash-4.0.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **March 10, 2009**
-

- bb-1.3.0 | BB is the portable demo of the use of the aalib ascii gfx libraries -
[bb-1.3.0-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [aalib](#) [slang](#) [libmikmod](#) [libgcc](#) [gcc](#)
Source Code: [bb-1.3.0.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**

▪ `bc-1.06` | Bc is an arbitrary precision numeric processing language -
[bc-1.06-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies:
Source Code: [bc-1.06.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**

▪ `bcrypt-1.1` | Bcrypt is a cross platform file encryption utility which uses the blowfish encryption algorithm -
[bcrypt-1.1-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [zlib](#) [libgcc](#) [gcc](#)
Source Code: [bcrypt-1.1.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**

▪ `bind-8.4.6` | The Berkeley Internet Name Domain (BIND) implements an Internet name server for Unix operating systems -
[bind-8.4.6-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies:
Source Code: [bind-8.4.6.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**

- bind-9.5.0p2 | The Berkeley Internet Name Domain (BIND) implements an Internet name server for Unix operating systems -
[bind-9.5.0p2-sol26-sparc-local.gz](#) | [File info](#) | Install Location: **/usr/local**
Dependencies: [openssl](#) [libiconv](#) [libintl](#) [libxml2](#) [zlib](#) [gcc](#) [libgcc](#)
Source Code: [bind-9.5.0p2.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **August 4, 2008**
-

- bind-9.5.1p3 | The Berkeley Internet Name Domain (BIND) implements an Internet name server for Unix operating systems -
[bind-9.5.1p3-sol26-sparc-local.gz](#) | [File info](#) | Install Location: **/usr/local**
Dependencies: [openssl](#) [libiconv](#) [libintl](#) [libxml2](#) [zlib](#) [gcc](#) [libgcc](#)
Source Code: [bind-9.5.1p3.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **July 29, 2009**
-

- bind-9.7.1 | The Berkeley Internet Name Domain (BIND) implements an Internet name server for Unix operating systems -
[bind-9.7.1-sol26-sparc-local.gz](#) | [File info](#) | Install Location: **/usr/local**
Dependencies: [openssl](#) [libiconv](#) [libxml2](#) [zlib](#) [gcc](#) [libgcc](#)
Source Code: [bind-9.7.1.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **July 4, 2010**

-
- `binutils-2.20.1` | This GNU package includes the GNU versions of the `ld`, `as`, `ar`, `nm`, `ranlib`, `strip`, `strings` and other programs -
[binutils-2.20.1-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: `/usr/local`
Dependencies: [zlib](#) [libiconv](#) [libintl](#) [libgcc](#) [gcc](#)
Source Code: [binutils-2.20.1.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **March 6, 2010**
-

- `bison-2.4.3` | Bison – a replacement for YACC – Bison is typically installed along with `flex`, `autoconf`, and `m4` (`/usr/local/bin/m4`) at least.
[bison-2.4.3-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [libiconv](#) [libintl](#) [libgcc](#) [gcc](#)
Source Code: [bison-2.4.3.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **August 6, 2010**
-

- `blame-1.3.1` | Blame displays the last modification for each line in an RCS file -
[blame-1.3.1-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies:
Source Code: [blame-1.3.1.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **October 5, 2008**

-
- `blt-2.4z` | BLT is an extension to the Tk toolkit, adding new widgets, geometry managers, and miscellaneous commands -
[blt-2.4z-sol26-sparc-local.gz](#) | [File info](#) | Install Location: `/usr/local subdirectories`.
Dependencies: [tcl](#) [tk](#) [libgcc](#) [gcc](#)
Source Code: [blt-2.4z.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**
-

- `bogofilter-1.1.7` | Bogofilter is a mail filter that classifies mail as spam or non-spam -
[bogofilter-1.1.7-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: `/usr/local`
Dependencies: [libiconv](#) [db](#) [libgcc](#) [gcc](#)
Source Code: [bogofilter-1.1.7.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **November 16, 2008**
-

- `bonnie++-1.03d` | Bonnie++ is a benchmark suite that performs a number of simple tests of hard drive and file system performance -
[bonnie++-1.03d-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: `/usr/local`
Dependencies: [libgcc](#) [gcc](#)
Source Code: [bonnie++-1.03d.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **July 25, 2008**

-
- `bosh-0.6` | Bosh stands for browsable output shell. It isn't really a shell. What it does is store the output of a specified program in a buffer and provides a simple curses interface to browse this buffer. Actions can be configured which can make use of the contents of the currently selected line -

[bosh-0.6-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: `/usr/local`

Dependencies: [ncurses](#)

Source Code: [bosh-0.6.tar.gz](#) | [File info](#) | [Developer](#) |

Date Created: **June 28, 2009**

- `bpython-0.9.5.1` | Bpython is an interface to the Python interpreter -

[bpython-0.9.5.1-sol26-sparc-local.gz](#) | [File info](#) |

Install Location: `/usr/local`

Dependencies: [python](#) [pygments](#)

Source Code: [bpython-0.9.5.1.tar.gz](#) | [File info](#) |

[Developer](#) | Date Created: **September 24, 2009**

- `bvi-1.3.2` | Bvi is an editor for binary files -

[bvi-1.3.2-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: `/usr/local`

Dependencies: [ncurses](#)

Source Code: [bvi-1.3.2.tar.gz](#) | [File info](#) | [Developer](#) |

Date Created: **May 17, 2008**

-
- `bwmng-0.6` | Bwm-ng is a console-based bandwidth monitor -
[bwmng-0.6-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [ncurses](#) [libgcc](#) [gcc](#)
Source Code: [bwmng-0.6.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **April 12, 2009**
-

- `bzip2-1.0.6` | bzip2 file compression utility -
[bzip2-1.0.6-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [libgcc](#) [gcc](#)
Source Code: [bzip2-1.0.6.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **September 23, 2010**
-

- `c3270-3.3.7p4` | c3270 is a curses-based version of x3270 for use on a dumb terminal -
[c3270-3.3.7p4-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [openssl](#) [ncurses](#) [readline](#) [libgcc](#) [gcc](#)
Source Code: [c3270-3.3.7p4.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**
-

- `cairo-1.4.10` | Cairo is a 2D graphics library with

support for multiple output devices -

[cairo-1.4.10-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: **/usr/local**

Dependencies: [render](#) [xrender](#) [renderproto](#) [expat](#)
[fontconfig](#) [freetype](#) [libpng](#) [zlib](#) [libiconv](#) [libgcc](#) [gcc](#)

Source Code: [cairo-1.4.10.tar.gz](#) | [File info](#) | [Developer](#)

| Date Created: **May 17, 2008**

- [catdoc-0.94.2](#) | Catdoc reads one or more Microsoft word files and outputs text. It also includes xls2csv, a program that converts an Excel spreadsheet into a comma-separated value file -

[catdoc-0.94.2-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: **/usr/local**

Dependencies:

Source Code: [catdoc-0.94.2.tar.gz](#) | [File info](#) |

[Developer](#) | Date Created: **May 17, 2008**

- [cave-1.0b](#) | Cave is tool for playing ascii animations – For example, a simple text file can be downloaded and played as a kind of screensaver in a window with the command `cave -s file.txt`. A search on the web for keyword `asciianimation` will find other more entertaining animations.

[cave-1.0b-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: **/usr/local**

Dependencies: [zlib](#) [ncurses](#) [libgcc](#) [gcc](#)

Source Code: [cave-1.0b.tar.gz](#) | [File info](#) | [Developer](#) |

Date Created: **May 17, 2008**

-
- `cclive-0.3.2` | Cclive is a command line video extraction utility. It supports YouTube, Google Video, and others - [cclive-0.3.2-sol26-sparc-local.gz](#) | [File info](#) | Install Location: `/usr/local`
Dependencies: [openssl](#) [curl](#) [gettext](#) [libiconv](#) [libidn](#) [libintl](#) [ncurses](#) [libxml2](#) [zlib](#) [libgcc](#) [gcc](#)
Source Code: [cclive-0.3.2.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **April 18, 2009**
-

- `ccrypt-1.9` | Ccrypt is a utility for encrypting and decrypting files and streams. It was designed as a replacement for the standard unix crypt utility. Ccrypt is based on the Rijndael cipher - [ccrypt-1.9-sol26-sparc-local.gz](#) | [File info](#) | Install Location: `/usr/local`
Dependencies: [libiconv](#) [libintl](#) [libgcc](#) [gcc](#)
Source Code: [ccrypt-1.9.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **August 29, 2009**
-

- `cdrtools-2.01.01a35` | Cdrtools (formerly cdrecord) contains powerful tools for burning CDs and DVDs. [cdrtools-2.01.01a35-sol26-sparc-opt.gz](#) | [File info](#) | Install Location: `/opt/schily`
Dependencies: [libiconv](#) [libintl](#) [libgcc](#) [gcc](#)
Source Code: [cdrtools-2.01.01a35.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **May 17, 2008**

-
- cfengine-2.2.10 | GNU cfengine is a suite of programs for setting up and maintaining BSD and System-V-like operating system optionally attached to a TCP/IP network

[cfengine-2.2.10-sol26-sparc-local.gz](#) | [File info](#) |

Install Location: **/usr/local**

Dependencies: [openssl](#) [db](#) [libgcc](#) [gcc](#)

Source Code: [cfengine-2.2.10.tar.gz](#) | [File info](#) |

[Developer](#) | Date Created: **June 21, 2009**

- cgrep-8.15 | Cgrep is a grep-like tool with enhanced performance and many additional features -

[cgrep-8.15-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: **/usr/local**

Dependencies: [ncurses](#)

Source Code: [cgrep-8.15.tar.gz](#) | [File info](#) | [Developer](#) |

Date Created: **May 5, 2009**

- check-0.9.8 | Check is a unit test framework for C -

[check-0.9.8-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: **/usr/local**

Dependencies: [libgcc](#) [gcc](#)

Source Code: [check-0.9.8.tar.gz](#) | [File info](#) | [Developer](#) |

Date Created: **August 7, 2010**

- `chkrootkit-0.49` | `chkrootkit` is a tool to locally check for signs of a rootkit -
[chkrootkit-0.49-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: `/usr/local/bin`
Dependencies:
Source Code: [chkrootkit-0.49.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **August 8, 2009**
-

- `chmlib-0.40` | `Chmlib` is a library for dealing with ITSS/CHM format files -
[chmlib-0.40-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [libgcc](#) [gcc](#)
Source Code: [chmlib-0.40.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **October 18, 2009**
-

- `cllex-3.18` | `CLEX` is an `ncurses`-based file manager with a full-screen user interface -
[cllex-3.18-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [ncurses](#)
Source Code: [cllex-3.18.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **December 7, 2008**
-

- `clisp-1997-09-25` | `CLISP`, a version of Common Lisp -
[clisp-1997-09-25-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: `/usr/local`
Dependencies:

Source Code: [clisp-1997-09-25.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **May 17, 2008**

- cmake-2.4.8 | Cmake is a cross-platform make system - [cmake-2.4.8-sol26-sparc-local.gz](#) | [File info](#) | Install Location: **/usr/local**
Dependencies: [ncurses](#) [libgcc](#) [gcc](#)
Source Code: [cmake-2.4.8.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **May 17, 2008**
-

- cmatrix-1.1b | cmatrix is an ncurses based program that simulates the moving lines of symbols seen on the screen in *The Matrix* movie - [cmatrix-1.1b-sol26-sparc-local.gz](#) | [File info](#) | Install Location: **/usr/local**
Dependencies: [ncurses](#)
Source Code: [cmatrix-1.1b.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **May 17, 2008**
-

- colordiff-1.0.9 | Colordiff is a perl script that provides color-highlighted diff output - [colordiff-1.0.9-sol26-sparc-local.gz](#) | [File info](#) | Install Location: **/usr/local**
Dependencies: [perl](#)
Source Code: [colordiff-1.0.9.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **June 20, 2010**

-
- `coloredit-1.1` | `coloredit` is a tool to view and edit the X window color entries -
[coloredit-1.1-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies:
Source Code: [coloredit-1.1.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **May 17, 2008**
-

- `conflict-6.0` | `Conflict` examines the user-specifiable list of programs, looking for instances in the user's path which conflict (i.e., the name appears in more than one point in the path) -
[conflict-6.0-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies:
Source Code: [conflict-6.0.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **December 12, 2008**
-

- `confuse-2.6` | `libConfuse` is a configuration file parser library -
[confuse-2.6-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [libiconv](#) [libintl](#) [libgcc](#) [gcc](#)
Source Code: [confuse-2.6.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **October 16, 2008**

-
- confuse-2.6 | libConfuse is a configuration file parser library -

[confuse-2.6-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: **/usr/local**

Dependencies: [libiconv](#) [libintl](#) [libgcc](#) [gcc](#)

Source Code: [confuse-2.6.tar.gz](#) | [File info](#) | [Developer](#)

| Date Created: **October 16, 2008**

- conman-0.2.5 | ConMan is a serial console management program designed to support a large number of console devices and simultaneous users -

[conman-0.2.5-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: **/usr/local**

Dependencies:

Source Code: [conman-0.2.5.tar.gz](#) | [File info](#) | [Developer](#)

| Date Created: **June 23, 2009**

- conserver-8.1.1 | Conserver is an application that allows multiple users to watch a serial console at the same time -

[conserver-8.1.1-sol26-sparc-local.gz](#) | [File info](#) |

Install Location: **/usr/local**

Dependencies:

Source Code: [conserver-8.1.1.tar.gz](#) | [File info](#) |

[Developer](#) | Date Created: **May 17, 2008**

-
- `convmv-1.14` | Convmmv converts filenames (not file content), directories, and even whole filesystems to a different encoding -
[convmv-1.14-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [perl](#)
Source Code: [convmv-1.14.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **February 4, 2009**
-

- `cook-2.32` | Cook is a file construction tool -
[cook-2.32-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [libiconv](#) [libintl](#) [libgcc](#) [gcc](#)
Source Code: [cook-2.32.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **September 7, 2009**
-

- `coreutils-7.1` | GNU Coreutils are a set of basic file, shell, and text manipulation utilities for the GNU operating system that are expected to exist on every operating system. Previously, they were offered as three individual distributions: fileutils, shellutils, and textutils -
[coreutils-7.1-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [libintl](#) [libiconv](#) [gmp](#) [libgcc](#) [gcc](#)
Source Code: [coreutils-7.1.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **February 26, 2009**

-
- `cpio-2.10` | GNU cpio copies files into or out of a cpio or tar archive -
[cpio-2.10-sol26-sparc-local.gz](#) | [File info](#) | Install Location: `/usr/local`
Dependencies: [libiconv](#) [libintl](#) [libgcc](#) [gcc](#)
Source Code: [cpio-2.10.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **June 23, 2009**
-

- `crm114-20040221` | CRM114 is a system to examine incoming e-mail, system log streams, data files or other data streams, and to sort, filter, or alter the incoming files or data streams according to the user's desires -
[crm114-20040221-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: `/usr/local`
Dependencies: [tre](#)
Source Code: [crm114-20040221-BlameYokohama.src.tar.gz](#) |
[File info](#) | [Developer](#) | Date Created: **May 17, 2008**
-

- `cronolog-1.6.2` | Cronolog is a simple filter program that reads log file entries from standard input and writes each entry to the output file specified by a filename template and the current date and time -
[cronolog-1.6.2-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: `/usr/local`
Dependencies:
Source Code: [cronolog-1.6.2.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **January 12, 2009**

-
- `cscope-15.7a` | Cscope is a developer's tool for browsing source code -
[cscope-15.7a-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [ncurses](#)
Source Code: [cscope-15.7a.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **May 1, 2009**

-
- `ctags-5.8` | Exuberant Ctags is a multilanguage reimplementa-tion of the `ctags(1)` program. It generates indexes of source code definitions which are used by a number of editors and tools -
[ctags-5.8-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies:
Source Code: [ctags-5.8.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **September 7, 2009**

-
- `curl-7.21.1` | Curl is a tool for transferring files with URL syntax, supporting FTP, FTPS, HTTP, HTTPS, GOPHER, TELNET, DICT, and FILE -
[curl-7.21.1-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [openssl](#) [libssh2](#) [libidn](#) [sasl](#) [libiconv](#)
[libintl](#) [zlib](#) [libgcc](#) [gcc](#)
Source Code: [curl-7.21.1.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **August 23, 2010**

-
- `curl_ldap-7.21.1` | Curl is a tool for transferring files with URL syntax, supporting FTP, FTPS, HTTP, HTTPS, GOPHER, TELNET, DICT, FILE, LDAP and LDAPS – **If you do not need LDAP or LDAPS support, use the regular curl package.**

[curl_ldap-7.21.1-sol26-sparc-local.gz](#) | [File info](#) |

Install Location: `/usr/local`

Dependencies: [openssl](#) [libssh2](#) [libidn](#) [openldap](#) [libiconv](#) [libintl](#) [zlib](#) [libgcc](#) [gcc](#)

Source Code: [curl-7.21.1.tar.gz](#) | [File info](#) | [Developer](#)

| Date Created: **August 23, 2010**

- `cvs-1.12.13` | The cvs version control system -
[cvs-1.12.13-sol26-sparc-local.gz](#) | [File info](#) | Install Location: `/usr/local`

Dependencies: [libiconv](#) [libintl](#) [libgcc](#) [gcc](#)

Source Code: [cvs-1.12.13.tar.gz](#) | [File info](#) | [Developer](#)

| Date Created: **June 25, 2009**

- `db-1.85` | db is the Berkeley open source embedded database system -

[db-1.85-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: `/usr/local`

Dependencies:

Source Code: [db-1.85.tar.gz](#) | [File info](#) | [Developer](#) |

Date Created: **May 17, 2008**

-
- db-2.7.7 | db is the Berkeley open source embedded database system -
[db-2.7.7-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local/BerkeleyDB.`
Dependencies:
Source Code: [db-2.7.7.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**
-

- db-3.3.11 | db is the Berkeley open source embedded database system -
[db-3.3.11-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local/BerkeleyDB.3.3.`
Dependencies:
Source Code: [db-3.3.11.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**
-

- db-4.2.52.NC | db is the Berkeley open source embedded database system -
[db-4.2.52.NC-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local/BerkeleyDB.4.2.`
Dependencies: [libgcc gcc](#)
Source Code: [db-4.2.52.NC.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**
-

- db-4.7.25.NC | db is the Berkeley open source embedded database system -
[db-4.7.25.NC-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local/BerkeleyDB.4.7.**
Dependencies: [libgcc](#) [gcc](#)
Source Code: [db-4.7.25.NC.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **March 17, 2010**
-

- dbus-1.0.2 | Dbus is a message bus system providing a way for applications to talk to each other -
[dbus-1.0.2-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [expat](#) [libgcc](#) [gcc](#)
Source Code: [dbus-1.0.2.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**
-

- dbusglib-0.74 | The glib bindings for Dbus -
[dbusglib-0.74-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [expat](#) [libiconv](#) [glib](#) [libintl](#) [dbus](#) [libgcc](#)
[gcc](#)
Source Code: [dbusglib-0.74.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **May 17, 2008**
-

- ddd-3.3.12 | DDD is the GNU Data Display Debugger -
[ddd-3.3.12-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [gdb](#) [xpm](#) [ncurses](#) [libgcc](#) [gcc](#)

Source Code: [ddd-3.3.12.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **February 20, 2009**

- [ddrescue-1.13](#) | GNU ddrescue is a data recovery tool. It copies data from one file or block device (hard disc, cdrom, etc) to another, trying hard to rescue data in case of read errors -
[ddrescue-1.13-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [libgcc](#) [gcc](#)
Source Code: [ddrescue-1.13.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **August 29, 2010**
-

- [ded-20100705](#) | Ded is a curses-based directory editor which allows you to navigate multiple file lists or a directory tree -
[ded-20100705-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [ncurses](#) [libgcc](#) [gcc](#)
Source Code: [ded-20100705.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **September 3, 2010**
-

- [dejagnu-1.4.4](#) | DejaGnu is a framework for testing other programs. Its purpose is to provide a single front end for all tests. DejaGnu is written in expect, which in turn uses tcl -
[dejagnu-1.4.4-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**

Dependencies:

Source Code: [dejagnu-1.4.4.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **May 17, 2008**

- dhcp-3.1.1 | The Dynamic Host Configuration Protocol distribution -

[dhcp-3.1.1-sol26-sparc-local.gz](#) | [File info](#) | Install Location: **/usr/local**

Dependencies:

Source Code: [dhcp-3.1.1.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **July 4, 2008**

- di-4.26 | Di is a disk information utility -

[di-4.26-sol26-sparc-local.gz](#) | [File info](#) | Install Location: **/usr/local**

Dependencies: [libiconv](#) [libintl](#) [libgcc](#) [gcc](#)

Source Code: [di-4.26.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **July 26, 2010**

- dialog-1.0.20050306 | Dialog is a utility to create user interfaces to shell scripts or other scripting languages -

[dialog-1.0.20050306-sol26-sparc-local.gz](#) | [File info](#) | Install Location: **/usr/local**

Dependencies: [ncurses](#)

Source Code: [dialog-1.0.20050306.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **May 17, 2008**

-
- `diffstat-1.53` | Diffstat reads the output of diff and displays a histogram of the insertions, deletions, and modifications per-file -

[diffstat-1.53-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: `/usr/local`

Dependencies:

Source Code: [diffstat-1.53.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **July 20, 2010**

- `diffutils-3.0` | .The GNU diff, diff3, sdiff, and cmp utilities -

[diffutils-3.0-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: `/usr/local`

Dependencies: [libiconv](#) [libsigsegv](#) [libintl](#) [libgcc](#) [gcc](#)

Source Code: [diffutils-3.0.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **May 5, 2010**

- `dig-2.0` | A command-line tool for querying Domain Name System servers.

[dig-2.0-sol26-sparc-local.gz](#) | [File info](#) | Install

Location:

Dependencies:

Source Code: [dig-2.0.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **May 17, 2008**

- dio-1.4 | dio is a device I/O analysis tool - [dio-1.4-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies:
Source Code: [dio-1.4.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**
-

- disktool-2.0c | Disktool is a program that shows how much disk space is available in each disk on a system - [disktool-2.0c-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies:
Source Code: [disktool-2.0c.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**
-

- disktype-9 | The purpose of disktype is to detect the content format of a disk or disk image. It knows about common file systems, partition tables, and boot codes - [disktype-9-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies:
Source Code: [disktype-9.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **February 15, 2009**
-

- distcc-2.13 | distcc is a program to distribute builds of C, C++, Objective C or Objective C++ code across several machines on a network - [distcc-2.13-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: **/usr/local**

Dependencies: [popt](#)

Source Code: [distcc-2.13.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **May 17, 2008**

- [dog-1.7](#) | dog is an alternative to the cat command -
[dog-1.7-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies:
Source Code: [dog-1.7.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**
-

- [dovecot-1.1.10](#) | Dovecot is an IMAP and POP3 server –
Support for ldap, mysql, and postgresql are included in
this build.
[dovecot-1.1.10-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: **/usr/local**
Dependencies: [openldap](#) [mysql](#) [postgresql](#) [libiconv](#) [openssl](#)
[zlib](#) [sasl](#) [gcc](#) [libgcc](#)
Source Code: [dovecot-1.1.10.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **February 3, 2009**
-

- [doxygen-1.7.1](#) | Doxygen is a documentation system for C,
C++, Java, Objective-C, Python, and others -
[doxygen-1.7.1-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [libiconv](#) [libgcc](#) [gcc](#)
Source Code: [doxygen-1.7.1.tar.gz](#) | [File info](#) |

[Developer](#) | Date Created: **June 26, 2010**

- dttools-1.0.4 | dttools is a library of C utilities used by the fault tolerant shell -
[dttools-1.0.4-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies:
Source Code: [dttools-1.0.4.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **May 17, 2008**
-

- dwdiff-1.8.1 | Dwdiff is a front-end for diff that works at the word level instead of the line level -
[dwdiff-1.8.1-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [libiconv](#) [libintl](#) [libgcc](#) [gcc](#)
Source Code: [dwdiff-1.8.1.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **July 25, 2010**
-

- ed-1.5 | GNU ed is a line-oriented text editor. It is used to create, display, modify and otherwise manipulate text files, both interactively and via shell scripts -
[ed-1.5-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies:
Source Code: [ed-1.5.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **September 4, 2010**

-
- `egd-0.8` | EGD is an Entropy Gathering Daemon and is a substitute for `/dev/random` -
[egd-0.8-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [perl](#) [prngd](#)
Source Code: [egd-0.8.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**
-

- `elinks-0.9.1` | Elinks is a lynx-like web browser -
[elinks-0.9.1-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [openssl](#) [expat](#) [zlib](#) [libgcc](#) [gcc](#)
Source Code: [elinks-0.9.1.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**
-

- `emacs-23.1` | Emacs is the extensible, customizable, self-documenting real-time display editor -
[emacs-23.1-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [jpeg](#) [libpng](#) [libungif](#) [tiff](#) [xft](#) [xrender](#) [dbus](#) [expat](#) [fontconfig](#) [freetype](#) [zlib](#) [xaw3d](#) [xpm](#) [libgcc](#) [gcc](#)
Source Code: [emacs-23.1.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **October 6, 2009**
-

- `enscript-1.6.5.2` | Enscript converts ASCII files to PostScript and stores generated output to a file or sends it directly to the printer -
[enscript-1.6.5.2-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: `/usr/local`
Dependencies: [libiconv](#) [libintl](#) [libgcc](#) [gcc](#)
Source Code: [enscript-1.6.5.2.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **June 1, 2010**
-

- `epydoc-3.0.1` | Epydoc is a tool for generating API documentation for Python modules -
[epydoc-3.0.1-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [python](#)
Source Code: [epydoc-3.0.1.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **April 5, 2010**
-

- `esound-0.2.38` | The enlightened sound daemon mixes several audio streams for playback by a single audio device -
[esound-0.2.38-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [audiofile](#)
Source Code: [esound-0.2.38.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **May 17, 2008**
-

- `ethereal-0.10.7` | Ethereal is a network traffic analyzer, or “sniffer” -

[ethereal-0.10.7-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: **/usr/local**
Dependencies: [gt5](#) [libpcap](#) [glib](#) [pcre](#) [zlib](#) [libgcc](#) [gcc](#)
Source Code: [ethereal-0.10.7.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **May 17, 2008**

- eventlog-0.2.10 | An API to format and send structured log messages -
[eventlog-0.2.10-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: **/usr/local**
Dependencies: [libgcc](#) [gcc](#)
Source Code: [eventlog-0.2.10.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **September 2, 2009**
-

- expat-2.0.1 | Expat is a fast, non-validating, stream-oriented XML parsing library -
[expat-2.0.1-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [libgcc](#) [gcc](#)
Source Code: [expat-2.0.1.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **May 17, 2008**
-

- expect-5.43.0 | Expect is a program that performs programmed dialogue with other interactive programs -
[expect-5.43.0-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [confuse](#) [tcl](#) [tk](#) [libgcc](#) [gcc](#)
Source Code: [expect-5.43.0.tar.gz](#) | [File info](#) |

- feh-1.8 | Feh is an image viewer based on imlib2 - [feh-1.8-sol26-sparc-local.gz](#) | [File info](#) | Install Location: **/usr/local**
Dependencies: [imlib2](#) [freetype](#) [glib](#) [libpng](#) [zlib](#) [libgcc](#) [gcc](#)
Source Code: [feh-1.8.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **June 29, 2010**
-

- fetchmail-6.3.9 | Fetchmail is a free, full-featured, robust, well-documented remote-mail retrieval and forwarding utility intended to be used over on-demand TCP/IP links (such as SLIP or PPP connections). It supports every remote-mail protocol now in use on the Internet: POP2, POP3, RPOP, APOP, KPOP, all flavors of IMAP, and ESMTPETRN. It can even support IPv6 and IPSEC -
[fetchmail-6.3.9-sol26-sparc-local.gz](#) | [File info](#) | Install Location: **/usr/local**
Dependencies: [openssl](#) [libgcc](#) [gcc](#)
Source Code: [fetchmail-6.3.9.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **May 14, 2009**
-

- fftw-3.2.2 | Fftw is a C subroutine for computing the discrete Fourier transform in one or more dimensions - [fftw-3.2.2-sol26-sparc-local.gz](#) | [File info](#) | Install Location: **/usr/local**

Dependencies: [libgcc](#) [gcc](#)

Source Code: [fftw-3.2.2.tar.gz](#) | [File info](#) | [Developer](#) |

Date Created: **June 16, 2010**

- file-5.04 | The open source version of the file command -

[file-5.04-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: **/usr/local**

Dependencies: [zlib](#) [libgcc](#) [gcc](#)

Source Code: [file-5.04.tar.gz](#) | [File info](#) | [Developer](#) |

Date Created: **February 5, 2010**

- fileutils-4.1 | The GNU fileutils package contains the basic file management utilities that are standard on a Unix-like system -

[fileutils-4.1-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: **/usr/local**

Dependencies: [confuse](#)

Source Code: [fileutils-4.1.tar.gz](#) | [File info](#) |

[Developer](#) | Date Created: **May 17, 2008**

- findutils-4.4.2 | Findutils contains the GNU find, xargs, and locate programs -

[findutils-4.4.2-sol26-sparc-local.gz](#) | [File info](#) |

Install Location: **/usr/local**

Dependencies: [confuse](#) [libiconv](#) [libintl](#) [gettext](#) [zlib](#)
[xmemory](#) [ncurses](#) [libgcc](#) [gcc](#)

Source Code: [findutils-4.4.2.tar.gz](#) | [File info](#) |

[Developer](#) | Date Created: **June 10, 2009**

- flex-2.5.35 | Flex, the GNU version of lex -
[flex-2.5.35-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [libiconv](#) [libintl](#) [gcc](#) [libgcc](#)
Source Code: [flex-2.5.35.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **November 13, 2008**
-

- fltk-1.1.9 | FLTK is a GUI toolkit -
[fltk-1.1.9-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [jpeg](#) [libpng](#) [zlib](#) [gcc](#) [libgcc](#)
Source Code: [fltk-1.1.9.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **June 28, 2008**
-

- fmirror-0.8.4 | fmirror is a program for mirroring files
and directories from a remote ftp server -
[fmirror-0.8.4-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies:
Source Code: [fmirror-0.8.4.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **May 17, 2008**
-

- fontconfig-2.4.2 | Fontconfig is a library for

configuring and customizing font access -

[fontconfig-2.4.2-sol26-sparc-local.gz](#) | [File info](#) |

Install Location: **/usr/local**

Dependencies: [freetype](#) [zlib](#) [expat](#) [libiconv](#) [libgcc](#) [gcc](#)

Source Code: [fontconfig-2.4.2.tar.gz](#) | [File info](#) |

[Developer](#) | Date Created: **May 17, 2008**

- foremost-1.5.3 | Foremost is a program to recover files based on their headers and footers -

[foremost-1.5.3-sol26-sparc-local.gz](#) | [File info](#) |

Install Location: **/usr/local**

Dependencies:

Source Code: [foremost-1.5.3.tar.gz](#) | [File info](#) |

[Developer](#) | Date Created: **May 17, 2008**

- fping-2.4b2 | fping is tool to quickly ping N number of hosts to determine their reachability -

[fping-2.4b2-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: **/usr/local**

Dependencies:

Source Code: [fping-2.4b2.tar.gz](#) | [File info](#) | [Developer](#)

| Date Created: **May 17, 2008**

- freetds-0.82 | FreeTDS is a set of libraries that allows your programs to natively talk to Microsoft SQL Server and Sybase database -

[freetds-0.82-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: **/usr/local/freetds.**

Dependencies: [ncurses](#) [readline](#) [libiconv](#) [libgcc](#) [gcc](#)

Source Code: [freetds-0.82.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **October 8, 2008**

- freetype-2.3.9 | FreeType 2 is a software font engine -
[freetype-2.3.9-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: **/usr/local**
Dependencies: [zlib](#) [libgcc](#) [gcc](#)
Source Code: [freetype-2.3.9.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **June 27, 2009**
-

- ftsh-2.0.3 | The Fault-Tolerant Shell (ftsh) is a small
language for system integration that makes failures a
first class concept -
[ftsh-2.0.3-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [dttools](#)
Source Code: [ftsh-2.0.3.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**
-

- ganglia-3.0.7 | Ganglia is a monitoring system for
clusters and grids -
[ganglia-3.0.7-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [zlib](#) [rrdtool](#) [libgcc](#) [gcc](#)
Source Code: [ganglia-3.0.7.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **May 17, 2008**

-
- gateway-1.4.1 | This is the Kannel opensource WAP and SMS Gateway -
[gateway-1.4.1-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [openssl](#) [libiconv](#) [zlib](#) [libxml2](#) [libgcc](#) [gcc](#)
Source Code: [gateway-1.4.1.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **May 17, 2008**
-

- gawk-3.1.8 | gawk is the GNU version of the awk formatting program -
[gawk-3.1.8-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [libiconv](#) [libsigsegv](#) [libintl](#) [libgcc](#) [gcc](#)
Source Code: [gawk-3.1.8.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 8, 2010**
-

- gcc-2.95.3 | compiled GNU C/C++/FORTRAN/Java compiler package See the libiberty package also.
[gcc-2.95.3-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies:
Source Code: [gcc-2.95.3.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**
-

- gcc-3.3.2 | The GNU C compiler and related programs -
[gcc-3.3.2-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [libiconv](#)
Source Code: [gcc-3.3.2.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**
-

- gcc-3.4.6 | The GNU C compiler and related programs -
[gcc-3.4.6-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [libiconv](#) [libintl](#)
Source Code: [gcc-3.4.6.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**
-

- gcc_small-3.3.2 | The GNU C compiler and related programs -
[gcc_small-3.3.2-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: **/usr/local**
Dependencies:
Source Code: | [File info](#) | [Developer](#) | Date Created:
-

- gd-2.0.35 | GD Graphics Library – An ANSI C library for the dynamic creation of images. GD creates PNG and JPEG images, among other formats -
[gd-2.0.35-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [xpm](#) [freetype](#) [fontconfig](#) [libiconv](#) [libintl](#)
[libpng](#) [zlib](#) [expat](#) [jpeg](#) [libgcc](#) [gcc](#)

Source Code: [gd-2.0.35.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**

- `gdb-6.8` | The GNU Debugger -
[gdb-6.8-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [ncurses](#) [libiconv](#) [expat](#) [libgcc](#) [gcc](#)
Source Code: [gdb-6.8.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **September 20, 2008**
-

- `gdbm-1.8.3` | GNU dbm is a set of database routines that use extendible hashing and works similar to the standard UNIX dbm routines -
[gdbm-1.8.3-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies:
Source Code: [gdbm-1.8.3.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**
-

- `gdkpixbuf-0.19.0` | The gdk-pixbuf libraries and related graphics objects -
[gdkpixbuf-0.19.0-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: `/usr/local`
Dependencies:
Source Code: [gdkpixbuf-0.19.0.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **May 17, 2008**

-
- `gengen-1.4.2` | GNU Gengen (GENerator GENerator) is a tool that, starting from a parameterized text, called template, generates a text generator that can substitute parameters with values -
[gengen-1.4.2-sol26-sparc-local.gz](#) | [File info](#) | Install Location: `/usr/local`
Dependencies: [libgcc gcc](#)
Source Code: [gengen-1.4.2.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **September 7, 2010**

-
- `gengetopt-2.22.1` | This program generates a C function that uses the `getopt_long` function to parse the command line options, to validate them and fills a struct -
[gengetopt-2.22.1-sol26-sparc-local.gz](#) | [File info](#) | Install Location: `/usr/local`
Dependencies: [libgcc gcc](#)
Source Code: [gengetopt-2.22.1.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **May 17, 2008**

-
- `gettext-0.14.1` | Gettext is the GNU internationalization library -
[gettext-0.14.1-sol26-sparc-local.gz](#) | [File info](#) | Install Location: `/usr/local`
Dependencies: [expat libiconv libgcc gcc](#)
Source Code: [gettext-0.14.1.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **May 17, 2008**

-
- `gftp-2.0.18rc1` | `gftp` is a multithreaded ftp client for X Windows written using `gtk` -
[gftp-2.0.18rc1-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: `/usr/local`
Dependencies: [gtk](#) [glib](#) [openssl](#) [libiconv](#) [readline](#) [ncurses](#)
[libgcc](#) [gcc](#)
Source Code: [gftp-2.0.18rc1.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **May 17, 2008**
-

- `ghostscript-8.71` | PostScript and PDF previewing, conversion, and printing -
[ghostscript-8.71-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: `/usr/local`
Dependencies: [expat](#) [xrender](#) [cairo](#) [libpng](#) [fontconfig](#)
[freetype](#) [libiconv](#) [zlib](#) [libgcc](#) [gcc](#)
Source Code: [ghostscript-8.71.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **March 18, 2010**
-

- `glib-1.2.4` | `Glib` is a wrapper library for `imlib2` -
[glib-1.2.4-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [imlib2](#) [freetype](#) [zlib](#) [libgcc](#) [gcc](#)
Source Code: [glib-1.2.4.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **June 28, 2010**
-

- gif2png-2.5.2 | The gif2png program converts files from the Graphic Interchange Format to Portable Network Graphics -
[gif2png-2.5.2-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [libpng](#) [zlib](#) [libgcc](#) [gcc](#)
Source Code: [gif2png-2.5.2.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **August 5, 2010**
-

- gimp-1.0.0 | The gimp graphics editor system -
[gimp-1.0.0-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [jpeg](#) [libpng](#) [tiff](#) [zlib](#) [xpm](#)
Source Code: [gimp-1.0.0.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **May 17, 2008**
-

- glark-1.8.0 | Glark is a replacement for grep with perl compatible regular expressions and many other features -
[glark-1.8.0-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [ruby](#)
Source Code: [glark-1.8.0.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **May 17, 2008**
-

- glib-1.2.10 | GLib is the low-level core library that forms the basis of GTK+ and GNOME -
[glib-1.2.10-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**

Dependencies:

Source Code: [glib-1.2.10.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **May 17, 2008**

- [glib-2.14.1](#) | GLib is the low-level core library that forms the basis of GTK+ and GNOME -
[glib-2.14.1-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [libiconv](#) [libintl](#) [libgcc](#) [gcc](#)
Source Code: [glib-2.14.1.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **May 17, 2008**
-

- [global-5.9.2](#) | GNU global is a source code tag system -
[global-5.9.2-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [libtool](#) [libgcc](#) [gcc](#)
Source Code: [global-5.9.2.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **August 30, 2010**
-

- [glpk-4.11](#) | The GLPK (GNU Linear Programming Kit) package is intended for solving large-scale linear programming (LP), mixed integer programming (MIP), and other related problems -
[glpk-4.11-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies:
Source Code: [glpk-4.11.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**

-
- gmp-4.2.1 | GMP is a library for arbitrary precision arithmetic, operating on signed integers, rational numbers, and floating point numbers -
[gmp-4.2.1-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [libgcc](#) [gcc](#)
Source Code: [gmp-4.2.1.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**
-

- gnats-4.1.0 | Gnu Gnats is a set of tools for tracking bugs -
[gnats-4.1.0-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [libiconv](#) [libintl](#) [libgcc](#) [gcc](#)
Source Code: [gnats-4.1.0.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **May 17, 2008**
-

- gnuchess-4.0.pl77 | Gnuchess is a chess playing system
[gnuchess-4.0.pl77-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: **/usr/local**
Dependencies:
Source Code: [gnuchess-4.0.pl77.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **May 17, 2008**
-

- `gnuit-4.9.4` | The GNU interactive tools are a set of text-mode tools -
[gnuit-4.9.4-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [ncurses](#)
Source Code: [gnuit-4.9.4.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **July 10, 2008**
-

- `gnupg-1.4.10` | GnuPG GnuPG (the GNU Privacy Guard) is a tool for secure communication and data storage. It can be used to encrypt data and to create digital signatures – This compile passes all make check tests.
[gnupg-1.4.10-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [bzip2](#) [libidn](#) [libiconv](#) [libintl](#) [readline](#) [openssl](#) [curl](#) [openldap](#) [libssh2](#) [sasl](#) [zlib](#) [libgcc](#) [gcc](#)
Source Code: [gnupg-1.4.10.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **April 1, 2010**
-

- `gnuplot-4.2.4` | The gnuplot plotting tool -
[gnuplot-4.2.4-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [ncurses](#) [libpng](#) [readline](#) [zlib](#) [freetype](#) [gd](#) [expat](#) [fontconfig](#) [jpeg](#) [libiconv](#) [libgcc](#) [gcc](#)
Source Code: [gnuplot-4.2.4.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **October 21, 2008**
-

- `gperf-3.0.3` | GNU gperf is a program that generates

perfect hash functions for sets of key words -
[gperf-3.0.3-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [libgcc gcc](#)
Source Code: [gperf-3.0.3.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **May 17, 2008**

- gpw-6.94 | gpw is Van Vleck's password generation program -
[gpw-6.94-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies:
Source Code: [gpw-6.94.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**
-

- gqplus-1.12 | Gqplus is a drop-in replacement for sqlplus, an Oracle SQL client -
[gqplus-1.12-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [ncurses](#)
Source Code: [gqplus-1.12.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **May 17, 2008**
-

- grep-2.7 | The GNU version of grep which finds lines that match patterns -
[grep-2.7-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [libiconv pcre libintl libgcc gcc](#)

Source Code: [grep-2.7.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **September 22, 2010**

- groff-1.20.1 | Groff (GNU Troff) is a document processor which reads plain text and formatting commands, produces formatted output from them, and then outputs it to another device -
[groff-1.20.1-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [libiconv](#) [libgcc](#) [gcc](#) [psutils](#)
Source Code: [groff-1.20.1.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **February 10, 2009**
-

- gsoap-2.7.10 | gSOAP offers generator tools for coding SOAP/XML web services in C and C++gSOAP offers generator tools for coding SOAP/XML web services in C and C++ -
[gsoap-2.7.10-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [zlib](#) [openssl](#) [libgcc](#) [gcc](#)
Source Code: [gsoap-2.7.10.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **May 17, 2008**
-

- gt5-1.4.0 | gt5 is used to study disk space usage -
[gt5-1.4.0-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [links](#)
Source Code: [gt5-1.4.0.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **January 3, 2009**

-
- `gtk+-1.2.10` | GTK+ is a multi-platform toolkit for creating graphical user interfaces -
[gtk+-1.2.10-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [glib](#)
Source Code: [gtk+-1.2.10.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **May 17, 2008**

-
- `gtk+-2.2.4` | GTK+ is a multi-platform toolkit for creating graphical user interfaces -
[gtk+-2.2.4-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [atk](#) [glib](#) [pango](#) [libiconv](#) [libgcc](#) [gcc](#)
Source Code: [gtk-2.2.4.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created:

-
- `guile-1.6.8` | Project GNU's extension language library. Guile is an interpreter for Scheme, packaged as a library that you can link into your applications to give them their own scripting language -
[guile-1.6.8-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [ncurses](#) [readline](#) [libgcc](#) [gcc](#)
Source Code: [guile-1.6.8.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **May 17, 2008**

-
- gv-3.5.8 | gv – postscript and pdf viewing tool -
[gv-3.5.8-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [ghostscript](#) [xaw3d](#)
Source Code: [gv-3.5.8.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**
-

- gzip-1.4 | The gzip compress/uncompression system – This version is built with –rsyncable capability.
[gzip-1.4-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies:
Source Code: [gzip-1.4.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created:
-

- help2man-1.38.2 | Help2man is a script to create simple man pages from the –help and –version output of programs -
[help2man-1.38.2-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: **/usr/local**
Dependencies: [perl](#)
Source Code: [help2man-1.38.2.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **July 9, 2010**
-

- `hexedit-1.2.12` | Hexedit – view and edit files in hexadecimal or in ASCII -
[hexedit-1.2.12-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: `/usr/local`
Dependencies: [ncurses](#)
Source Code: [hexedit-1.2.12.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **October 16, 2008**
-

- `hping3-20051105` | Hping is a command-line oriented TCP/IP packet assembler/analyzer -
[hping3-20051105-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: `/usr/local`
Dependencies: [tcl](#) [libgcc](#) [gcc](#)
Source Code: [hping3-20051105.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **May 17, 2008**
-

- `htdig-3.2.0b5` | The ht://Dig system is a complete indexing and searching system for a domain or intranet -
[htdig-3.2.0b5-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [zlib](#) [gcc](#) [libgcc](#)
Source Code: [htdig-3.2.0b5.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **May 17, 2008**
-

- `httping-1.2.9` | Httping is a ping for http-requests -
[httping-1.2.9-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [openssl](#) [libgcc](#) [gcc](#)

Source Code: [httping-1.2.9.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **July 19, 2008**

- hydra-2.6 | hydra is a password security checking program -
[hydra-2.6-sol26-sparc-local.gz](#) | [File info](#) | Install Location: **/usr/local**
Dependencies: [openssl](#) [libgcc](#) [gcc](#)
Source Code: [hydra-2.6.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **May 17, 2008**
-

- hypermail-2.3.0 | Hypermail is a program that takes a file of mail messages in UNIX mailbox format and generates a set of cross-referenced HTML documents -
[hypermail-2.3.0-sol26-sparc-local.gz](#) | [File info](#) | Install Location: **/usr/local**
Dependencies: [gdbm](#) [pcre](#) [libiconv](#) [libgcc](#) [gcc](#)
Source Code: [hypermail-2.3.0.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **June 12, 2010**
-

- id3lib-3.8.3 | Id3lib is a software library for manipulating ID3v1/v1.1 and ID3v2 tags -
[id3lib-3.8.3-sol26-sparc-local.gz](#) | [File info](#) | Install Location: **/usr/local**
Dependencies: [zlib](#) [libiconv](#) [libgcc](#) [gcc](#)
Source Code: [id3lib-3.8.3.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **April 19, 2009**

-
- `imagemagick-6.6.0.10` | ImageMagick is a software suite to create, edit, and compose bitmap images -
[imagemagick-6.6.0.10-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: `/usr/local`
Dependencies: [bzip2](#) [expat](#) [fontconfig](#) [freetype](#) [libiconv](#)
[lcms](#) [jpeg](#) [libpng](#) [libtool](#) [tiff](#) [libxml2](#) [zlib](#) [libgcc](#) [gcc](#)
Source Code: [imagemagick-6.6.0.10.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **April 3, 2010**
-

- `imap-2006e` | Imap contains imap, pop2, and pop3 email servers.
[imap-2006e-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local/sbin`
Dependencies: [openssl](#) [libgcc](#) [gcc](#)
Source Code: [imap-2006e.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **May 17, 2008**
-

- `imlib-1.9.15` | Imlib is a general Image loading and rendering library – **Imlib does not use GTK2, only GTK1.**
[imlib-1.9.15-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [libungif](#) [gtk+](#) [glib](#) [libpng](#) [jpeg](#) [tiff](#) [zlib](#)
[libgcc](#) [gcc](#)
Source Code: [imlib-1.9.15.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **May 17, 2008**

-
- `imlib2-1.4.4` | The Imlib 2 library – a library that does image file loading and saving as well as rendering, manipulation, arbitrary polygon support, etc -
[imlib2-1.4.4-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [bzip2](#) [freetype](#) [jpeg](#) [libpng](#) [tiff](#) [libungif](#)
[zlib](#) [libgcc](#) [gcc](#)
Source Code: [imlib2-1.4.4.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **June 28, 2010**

-
- `indent-2.2.10` | Indent is a C source beautifier -
[indent-2.2.10-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [libintl](#) [libiconv](#) [libgcc](#) [gcc](#)
Source Code: [indent-2.2.10.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **July 1, 2009**

-
- `intlfonts-1.0.tar` | Intlfonts is the international fonts for use with emacs 20.2. See the README file for installation instructions.
[intlfonts-1.0.tar.gz](#) | [File info](#) | Install Location:
Dependencies:
Source Code: | [File info](#) | [Developer](#) | Date Created:
-

- `intlfonts-1.1.tar` | Intlfonts is the international fonts for use with emacs 20.3. See the README file for installation instructions.

[intlfonts-1.1.tar.gz](#) | [File info](#) | Install Location:

Dependencies:

Source Code: | [File info](#) | [Developer](#) | Date Created:

- `intltool-0.40.3` | The internationalization tool collection (`intltool`) can be used to extract translatable strings from various source files, collect the extracted strings together with messages from traditional source files (`.c`, `.h`), and merge translations from `.po` files into `.xml`, `.desktop`, and `.oaf` files -

[intltool-0.40.3-sol26-sparc-local.gz](#) | [File info](#) |

Install Location: `/usr/local`

Dependencies:

Source Code: [intltool-0.40.3.tar.gz](#) | [File info](#) |

[Developer](#) | Date Created: **January 22, 2009**

- `iplog-2.2.3` | `iplog` is a TCP/IP traffic logger. Currently, it is capable of logging TCP, UDP and ICMP traffic -

[iplog-2.2.3-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: `/usr/local`

Dependencies:

Source Code: [iplog-2.2.3.tar.gz](#) | [File info](#) | [Developer](#)

| Date Created: **May 17, 2008**

-
- ircii-20060725 | Ircii is an IRC and ICB client -
[ircii-20060725-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: **/usr/local**
Dependencies: [libiconv](#) [gcc](#) [libgcc](#)
Source Code: [ircii-20060725.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **June 26, 2008**
-

- irssi-0.8.15 | Irssi is a modular IRC client with a text mode user interface -
[irssi-0.8.15-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [openssl](#) [libiconv](#) [libintl](#) [ncurses](#) [glib](#)
[libgcc](#) [gcc](#)
Source Code: [irssi-0.8.15.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **June 27, 2010**
-

- ispell-3.3.02 | Ispell is an interactive spell-checking program -
[ispell-3.3.02-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [ncurses](#)
Source Code: [ispell-3.3.02.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **May 17, 2008**
-

- jed-B0.99.14 | Jed is an editor with terminal and X11 interface. The jed package also contains the rgrep, recursive grep program -
[jed-B0.99.14-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [slang](#)
Source Code: [jed-B0.99.14.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **May 17, 2008**
-

- joe-3.7 | The Joe text editor -
[joe-3.7-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [ncurses](#)
Source Code: [joe-3.7.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **December 11, 2008**
-

- john-1.7.6 | John the Ripper is a fast password cracker – Its primary purpose is to detect weak Unix passwords. John is often used to make machines more secure. Make sure you know what you are doing. Any security problems are your responsibility. See our [Disclaimer](#).
[john-1.7.6-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local/run.**
Dependencies:
Source Code: [john-1.7.6.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **June 14, 2010**
-

- jove-4.16.0.65 | Jove is an Emacs-style text editor -

[jove-4.16.0.65-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: **/usr/local**
Dependencies:
Source Code: [jove-4.16.0.65.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **May 17, 2008**

▪ jpeg-8a | The jpeg libraries -
[jpeg-8a-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [libgcc gcc](#)
Source Code: [jpeg-8a.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **April 7, 2010**

▪ jpeg2ps-1.9 | jpeg2ps converts JPEG files to PostScript
Level 2 or 3 EPS -
[jpeg2ps-1.9-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies:
Source Code: [jpeg2ps-1.9.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **June 30, 2010**

▪ jpeginfo-1.6.1 | > Jpeginfo is utility to generate
information from jpeg files -
[jpeginfo-1.6.1-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: **/usr/local**
Dependencies: [jpeg libgcc gcc](#)
Source Code: [jpeginfo-1.6.1.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **June 30, 2010**

-
- jpegoptim-1.2.3 | Jpegoptim is a utility to optimize jpeg files -

[jpegoptim-1.2.3-sol26-sparc-local.gz](#) | [File info](#) |

Install Location: **/usr/local**

Dependencies: [jpeg](#) [libgcc](#) [gcc](#)

Source Code: [jpegoptim-1.2.3.tar.gz](#) | [File info](#) |

[Developer](#) | Date Created: **July 1, 2010**

- keychain-2.6.8 | Keychain helps to manage ssh keys in a convenient and secure manner. It acts as a frontend to ssh-agent -

[keychain-2.6.8-sol26-sparc-local.gz](#) | [File info](#) |

Install Location: **/usr/local**

Dependencies: [openssh](#)

Source Code: [keychain-2.6.8.tar.gz](#) | [File info](#) |

[Developer](#) | Date Created: **September 30, 2008**

- lame-3.97 | Lame is an MP3 encoder -

[lame-3.97-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: **/usr/local**

Dependencies: [ncurses](#) [libgcc](#) [gcc](#)

Source Code: [lame-3.97.tar.gz](#) | [File info](#) | [Developer](#) |

Date Created: **May 17, 2008**

- `lcms-1.19` | Lcms is a color management engine -
[lcms-1.19-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [jpeg](#) [tiff](#) [zlib](#) [libgcc](#) [gcc](#)
Source Code: [lcms-1.19.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **March 22, 2010**
-

- `ldns-1.6.6` | Ldns is used to simplify DNS programming.
Included in the package is the dig-like program **drill**
and other example programs -
[ldns-1.6.6-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: `/usr/local`
Dependencies: [openssl](#) [libpcap](#) [libgcc](#) [gcc](#)
Source Code: [ldns-1.6.6.tar.gz](#) | [File info](#) | [Developer](#) |
Date Created: **September 5, 2010**
-

- `leim-20.2.tar` | leim international fonts source code.
Included in emacs .
[leim-20.2.tar.gz](#) | [File info](#) | Install Location:
Dependencies:
Source Code: | [File info](#) | [Developer](#) | Date Created:
-

- `leim3-20.3.tar` | leim international fonts source code.
Included in Included in emacs.
[leim-20.3.tar.gz](#) | [File info](#) | Install Location:
Dependencies:
Source Code: | [File info](#) | [Developer](#) | Date Created:

-
- `less-436` | Less is a paginator file similar to *more*, but that allows backward as well as forward movement through the file -

[less-436-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: `/usr/local`

Dependencies: [ncurses](#) [libiconv](#) [libintl](#) [libgcc](#) [gcc](#)

Source Code: [less-436.tar.gz](#) | [File info](#) | [Developer](#) |

Date Created: **July 31, 2009**

- `lftp-3.4.7` | lftp is command line file transfer program. It supports FTP, HTTP, FISH, SFTP and FILE (local FS) protocols. GNU Readline library is used for input. Low level stuff supported: ftp proxy, http proxy, ftp over http, opie/skey, fxp transfers, automatic retrying on non-fatal errors and timeouts, ipv6, socks, http/1.1, sftp v3-4 -

[lftp-3.4.7-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: `/usr/local`

Dependencies: [readline](#) [openssl](#) [ncurses](#) [libiconv](#) [libgcc](#) [gcc](#)

Source Code: [lftp-3.4.7.tar.gz](#) | [File info](#) | [Developer](#) |

Date Created: **May 17, 2008**

- `libao-1.0.0` | Libao is a cross-platform audio library that allows programs to output audio using a simple API on a wide variety of platforms -

[libao-1.0.0-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: **/usr/local**

Dependencies: [esound](#) [audiofile](#) [libgcc](#) [gcc](#)

Source Code: [libao-1.0.0.tar.gz](#) | [File info](#) | [Developer](#)

| Date Created: **July 9, 2010**

- [libart_lgpl-2.3.19](#) | Libart is a library for high performance 2D graphics -

[libart_lgpl-2.3.19-sol26-sparc-local.gz](#) | [File info](#) |

Install Location: **/usr/local**

Dependencies: [libgcc](#) [gcc](#)

Source Code: [libart_lgpl-2.3.19.tar.gz](#) | [File info](#) |

[Developer](#) | Date Created: **May 17, 2008**

- [libcddb-1.3.0](#) | Libcddb is a library that implements the different protocols (CDDBP, HTTP, SMTP) to access data on a CDDB server (<http://freedb.org>) -

[libcddb-1.3.0-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: **/usr/local**

Dependencies: [libiconv](#) [libgcc](#) [gcc](#)

Source Code: [libcddb-1.3.0.tar.gz](#) | [File info](#) |

[Developer](#) | Date Created: **May 17, 2008**

- [libdnet-1.11](#) | Libdnet provides a simplified, portable interface to several low-level networking routines -

[libdnet-1.11-sol26-sparc-local.gz](#) | [File info](#) | Install

Location: **/usr/local**

Dependencies: [libgcc](#) [gcc](#)

Source Code: [libdnet-1.11.tar.gz](#) | [File info](#) | [Developer](#)

| Date Created: **August 27, 2010**

- libedit-20070302_2.10 | A port of the NetBSD libedit library -
[libedit-20070302_2.10-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: **/usr/local**
Dependencies: [ncurses](#) [libgcc](#) [gcc](#)
Source Code: [libedit-20070302_2.10.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **May 17, 2008**
-

- libemf-1.0.3 | libEMF is a C/C++ library which provides a drawing toolkit based on ECMA-234. The general purpose of this library is to create vector graphics files on POSIX systems which can be imported into StarOffice/OpenOffice -
[libemf-1.0.3-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [libgcc](#) [gcc](#)
Source Code: [libemf-1.0.3.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **December 4, 2008**
-

- libexif-0.6.16 | The libexif exif library reads and writes EXIF meta information from and to image files -
[libexif-0.6.16-sol26-sparc-local.gz](#) | [File info](#) |
Install Location: **/usr/local**
Dependencies: [libiconv](#) [libintl](#) [libgcc](#) [gcc](#)
Source Code: [libexif-0.6.16.tar.gz](#) | [File info](#) |
[Developer](#) | Date Created: **May 17, 2008**

-
- `libg2c-3` | This package contains the `libg2c` library files needed by the octave program -
[libg2c-3-sol26-sparc-local.gz](#) | [File info](#) | Install Location: `/usr/local`
Dependencies:
Source Code: | [File info](#) | [Developer](#) | Date Created: **May 17, 2008**
-

- `libgcc-3.3` | This package includes the files and links
`libgcc_s.so libstdc++.a libstdc++.so libstdc++.so.5.0.4`
`libgcc_s.so.1 libstdc++.la libstdc++.so.5`
Since these files are part of the gcc package, you may not need to install it if you already have gcc 3.3 installed. This package is created because some programs will not run without these libraries -
[libgcc-3.3-sol26-sparc-local.gz](#) | [File info](#) | Install Location: `/usr/local/lib`
Dependencies:
Source Code: | [File info](#) | [Developer](#) | Date Created: **May 17, 2008**
-

- `libgcc-3.4.6` | This package includes the files and links
`libgcc_s.so libgcc_s.so.1 libstdc++.so libstdc++.so.6`
`libstdc++.so.6.0.3`
Since these files are part of the gcc 3.4.6 package, you

may not need to install it if you already have gcc 3.4.6 installed. This package is created because some programs will not run without these libraries -

[libgcc-3.4.6-sol26-sparc-local.gz](#) | [File info](#) | Install Location: **/usr/local/lib**.

Dependencies:

Source Code: | [File info](#) | [Developer](#) | Date Created: **May 17, 2008**

- [libgcrypt-1.2.4](#) | Libgcrypt is the GNU basic cryptographic library -

[libgcrypt-1.2.4-sol26-sparc-local.gz](#) | [File info](#) | Install Location: **/usr/local**

Dependencies: [libintl](#) [libiconv](#) [libgcc](#) [gcc](#) [dio](#)

Source Code: [libgcrypt-1.2.4.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **May 17, 2008**

- [libpgperror-1.7](#) | Libpgp-error is a small library with error codes and descriptions for the GnuPG software -

[libpgperror-1.7-sol26-sparc-local.gz](#) | [File info](#) | Install Location: **/usr/local**

Dependencies: [libiconv](#) [libgcc](#) [gcc](#)

Source Code: [libpgperror-1.7.tar.gz](#) | [File info](#) | [Developer](#) | Date Created: **March 31, 2010**

- [libgsasl-1.2](#) | The GNU SASL library which is an implementation of the Simple Authentication and Security Layer (SASL) -

[libgsasl-1.2-sol26-sparc-local.gz](#) | [File info](#) | Install
Location: **/usr/local**
Dependencies: [libiconv](#) [libintl](#) [libidn](#) [libgcc](#) [gcc](#)
Source Code: [libgsasl-1.2.tar.gz](#) | [File info](#) | [Developer](#)
| Date Created: **June 14, 2009**

- [libliberty-libliberty.tar](#) | `libliberty.so` is a shared library version of the `libliberty` that comes with `gcc` - [shared-libliberty.tar.gz](#) | [File info](#) | Install Location: **/usr/local**
Dependencies:
Source Code: | [File info](#) |